



For additional install information please visit www.p3gauges.com/install

BMW G2X/G8X Vehicle Install



1 Plug the gauge into the vehicle's OBD2 port and start engine to test functionality before installation



2 Pull the door gasket back as shown



3 Remove the side dash panel




4a Use a trim tool to remove the vent from the dash

WARRANTY & LIABILITY: Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



4b Gently pull the vent straight out of the dash



5 Disconnect the connector on the underside of the vent



For additional install information please visit www.p3gauges.com/install



6 Feed the display cable through the vent hole and out the side of the dash



7 Feed the OBD2 cable from the bottom and out through the side of the dash



8 Connect the display and the main harness to the control box



9 Connect the OBD2 connector to the vehicle's OBD2 port

WARRANTY & LIABILITY: Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



10 Tuck the cables and the control box into the side of the dash



11 Replace the side dash panel



For additional install
information please visit
www.p3gauges.com/install



12 Reinstall the door gasket

Now it's time to enjoy your gauge!



WARRANTY & LIABILITY:
Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.