




For additional install information please visit www.p3gauges.com/install

BMW G3X Vent Install



1a Remove trim from vent housing by releasing 3 clips on the top of the vent



1b Then release 4 clips on the underside of the vent



2 Remove the slats from the vent housing by pulling out on the left side of each slat




3a Remove the slider from the third slat by prying on side clips as shown

WARRANTY & LIABILITY: Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



3b Slider taken apart



4 Install the slider onto the bottom slat as shown (Note the position of the fork, slider, and slat)



For additional install information please visit www.p3gauges.com/install



5 Reinstall bottom slat, making sure to line up vertical slat control fork as shown



6a Route the ribbon cable between the leftmost vertical slat and the vent housing feeding it below the airflow control flap



6b Vent should look as shown



7a Install display by sliding right alignment pegs into corresponding holes in vent housing

WARRANTY & LIABILITY: Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.



7b Snap display pegs into place on left side




8 Fold ribbon cable around back of vent as shown



For additional install information please visit www.p3gauges.com/install



9a Reinstall trim by snapping 3 clips on top into place



9b Snap 4 clips on bottom into place



You can now install the gauge into your vehicle.

WARRANTY & LIABILITY:
Neither P3 Cars, nor its dealers or agents shall be liable in any way, for any damage, loss, injury or other claims, resulting from the installation or use of this product. By purchasing or installing this product, you assume all liability of any kind connected with the use and/or application of this product. If you are unsure that you can safely install and use this product, consult a qualified installer or mechanic. The warranty on this product covers only the product itself for a period of 6 months from the date of purchase, and it will be at our discretion to repair or replace the affected parts. No user serviceable parts inside. Warranty will be voided if product shows physical damage.